

Optquest® Q2201wb

**22" (21.6" VIEWABLE)
WIDESCREEN LCD
WITH SUPER-FAST 5MS VIDEO RESPONSE**

Affordable widescreen performance.

The Optquest® Q2201wb 21.6" widescreen LCD is the big screen choice for users on a budget. You won't sacrifice performance for price with this display. It combines high brightness and contrast ratio with 5ms video response for CRYSTAL-CLEAR, BLUR FREE VIDEO, TEXT AND GRAPHICS. The SUPER-HIGH 1680X1050 RESOLUTION reduces eyestrain and ensures text and graphics are crisp. The widescreen lets you work in two applications or documents side-by-side, so you get more done in less time. The integrated power supply and VESA® wall-mount compliance reduce clutter and free up valuable desktop real estate. Furnish your desktop in style with the budget-friendly, stylish Q2201wb.



ENHANCE YOUR PRODUCTIVITY

- > Super-fast 5ms video response delivers superior picture clarity
- > High brightness and contrast ratio
300-nit brightness (typ) and 1000:1 contrast ratio (typ) for rich, detailed images.
- > 1680x1050 optimum resolution
Incredible image detail for sharp text and graphics.
- > Stylish slim-bezel design
An ultra-thin bezel lets you see more without taking up valuable desktop space.
- > OnView® controls for superior screen adjustability
Screen adjustments are precisely made via an easy-to-use on-screen menu.
- > Full 21.6" viewable widescreen
Displays a full, flat 21.6" viewable widescreen area with crisp detail and fully saturated color.
- > Integrated power supply
- > VESA® 100mm wall-mount compliant
- > 24/7 free technical support and customer support*
- > PC and Mac® compatible



VIEWSONIC
PRODUCTS, PROGRAMS,
AND SERVICES

ViewSonic®
See the difference® 

Optquest® Q2201wb

22" (21.1" VIEWABLE) WIDESCREEN LCD WITH FAST 5MS VIDEO RESPONSE



LCD	Type	21.6" (21.1" viewable) color TFT active matrix WSXGA LCD
	Display Area	18.3" horizontal x 11.4" vertical; 21.6" diagonal
	Optimum Resolution	1680x1050
	Contrast Ratio	1000:1 (typ)
	Viewing Angles	160° horizontal, 160° vertical @ contrast ratio > 5:1
	Response Time	5ms (typ)
	Light Source	Long life, 50,000 hrs. (typ)
	Brightness	300 cd/m ² (typ)
VIDEO INPUT	Panel Surface	Anti-glare
	Analog	RGB analog (75 ohms, 0.7 Vp-p)
	Frequency	F _H : 24~81kHz, F _V : 48~76Hz
COMPATIBILITY	Sync	H/V separated (TTL)
	PC	VGA up to 1680X1050 non-interlaced
CONNECTOR	Mac®**	G3/G4/G5 up to 1680X1050
	Analog	15-pin mini D-sub
POWER	Power	3-pin AC plug (CEE22)
	Voltage	AC 100~240V (universal), 50~60Hz (auto switch)
CONTROLS	Consumption	49W (typ)
	Basic	Power, -, +, menu, exit
ERGONOMICS	OnView®	Auto setup, brightness, contrast, color adjust (cool, neutral, sRGB, custom color), H. position, V. position, H. size, OSD position, scaling, fine tune, language, recall
	Tilt	-5°/+20°
OPERATING	Temperature	41~104°F (5~40°C)
CONDITIONS	Humidity	20~85% (non-condensing)
DIMENSIONS	Physical with stand	20.7" x 17.2" x 8.1" (527mm x 437mm x 205mm)
	Physical without stand	20.7" x 15.2" x 3.0" (527mm x 386mm x 75mm)
WEIGHT	Net with stand	13.9 lb. (6.3 kg)
	Net without stand	11.4 lb. (5.2 kg)
	Gross with stand	17.6 lb. (8.0 kg)
REGULATIONS		UL, cUL, FCC-B, NOM, ENERGY STAR®, TUV-S, RoHS
RECYCLE/DISPOSAL		The lamp in this product contains mercury. Please dispose of in accordance with local, state or federal laws.
POWER MANAGEMENT		ENERGY STAR® standards
PACKAGE CONTENTS		LCD display, power cable, video cable, Quick Start Guide, ViewSonic Wizard CD
WARRANTY		One-year limited warranty on parts, labor and backlight



ViewSonic Corporation's QMS & EMS have been registered to ISO 9001 & ISO 14001, respectively, by the British Standards Institution.

ViewSonic®
See the difference® 

Sales: (888) 881-8781 • SalesInfo@ViewSonic.com • ViewSonic.com

*Excluding major U.S. holidays. **Adapter may be required. Analog adapter available from ViewSonic. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2008 ViewSonic Corporation. All rights reserved. [1391-00B-03/08] Q2201wb-1

For more product information, visit us on the web at ViewSonic.com